

**2025 Annual Performance Report Municipal Stormwater  
Management System Environmental Compliance Approval  
Number 243-S701 Schedule E Section 5.2 Report**

Township of East Garafraxa for the Period of January 1, 2025, to December 31, 2025



**2025 Annual Performance Report  
CLI – ECA # 243-S701 Schedule E Section 5.2 Report  
Township of East Garafraxa**

This annual report was prepared to satisfy the requirements of the Township of East Garafraxa's Consolidated Linear Infrastructure Environmental Compliance Approval number (CLI-ECA) 243-S701 for a Municipal Stormwater Management System. Issued by the Ministry of the Environment, Climate Change and Parks (MECP) on January 22, 2024

This is the second yearly report required under the CLI-ECA and covers the calendar year of 2025

The reporting requirement for each section of the approval are listed below with the relevant information following the bolded text.

**Section (5.2.1)**

**Submitted to the Director on or before April 30<sup>th</sup> of each year and covers the period from January 1<sup>st</sup> to December 31<sup>st</sup> of the preceding calendar year.**

This report was submitted before April 30, 2026 and was for the period of January 1, 2025, to December 31, 2025.

**Section (5.2.2)**

**Includes a summary of all monitoring data along with an interpretation of the data and an overview of the condition and operational performance of the Authorized System and any Adverse Effects on the Natural Environment.**

This is a future requirement of the CLI-ECA and has not been put into practice at this time.

**5.2.3 Includes a summary and interpretation of environmental trends based on all monitoring information and data for the previous five (5) years.**

This is a future requirement of the CLI-ECA and has not been put into practice at this time.

**5.2.4 Includes a summary of any operating problems encountered and corrective actions taken.**

No operational problems encountered.

**5.2.5 Includes a summary of all inspections, maintenance, and repairs carried out on any major structure, equipment, apparatus, mechanism, or thing forming part of the Authorized System.**

**2025 Annual Performance Report**  
**CLI – ECA # 243-S701 Schedule E Section 5.2 Report**  
**Township of East Garafraxa**

Stormwater Management (SWM) ID # and name	Summary of Operation and Inspections Issues	Summary of Corrective Actions
12068 – Nature’s Landing Drive Subdivision Wet Pond	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> Fall branches caused some damage to the perimeter fence.	Fence was repaired. Spring 2025
12184 – Rayburn Meadows West-Dry Pond	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	No corrective actions required
12183 – Rayburn Meadows East – Dry Pond	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	No corrective actions required
12320 – Woodland Drive – Dry Pond No. 1	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	Contractor removed some of the larger shrubs. And some trees that were encroaching into the pond. Summer 2025.
12321 – Brookhaven Park – Dry Pond No. 2	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	Contractor removed some of the larger shrubs, as well as some small trees that were blocking the access road and that were too close to the perimeter fence. Summer 2025
12234 – 37 Brookhaven Crescent – Dry Pond No. 3	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	No corrective actions required
12259 – 2 Brookhaven Crescent – Dry Pond No. 4	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	Contractor removed some of the larger shrubs, and some dirt was removed from in front of the crossroad culvert to improve flow into the pond.
12323 – 44 Brookhaven Crescent – Dry Pond No. 5	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	No corrective actions required
12303 – 57,59,61 Brookhaven Crescent – Dry Pond No. 6	<b>Operational issues:</b> Some vegetation growth, not excessive <b>Structural issues:</b> no issues	No corrective actions required
12322 – 12 Woodland Drive – Dry Pond No. 7	<b>Operational issues:</b> Some vegetation growth with larger shrubs and small trees present <b>Structural issues:</b> no issues	Contractor removed small trees and shrubs. Summer 2025



**5.2.6 Includes a summary of the calibration and maintenance carried out on all monitoring equipment.**

There is no monitoring equipment installed at this time.

**5.2.7 Includes a summary of any complaints related to the Sewage Works received during the reporting period and any steps taken to address the complaints.**

There were no complaints received. No actions taken.

**5.2.8 Includes a summary of all Alterations to the Authorized System within the reporting period that are authorized by this Approval including a list of Alterations that pose a Significant Drinking Water Threat.**

There were no alterations to the system, therefore there were no significant drinking water threats.

**5.2.9 Includes a summary of all spills or abnormal discharge events.**

There were no spills of abnormal discharges.

**5.2.10 Includes a summary of actions taken, including timelines, to improve or correct performance of any aspect of the Authorized System.**

There are no actions required to be taken at this time.

**5.2.11 Includes a summary of the status of actions for the previous reporting year.**

S. Burnett and Associates were contracted to perform a condition assessment of the Townships storm ponds and associated infrastructure to aid in the Township's asset management plan. The final report is to be received early 2026. All other actions were completed in 2025.

**5.3.1 Make available, on request and without charge, to members of the public who are served by the Authorized System.**

This report is available to members of the public without charge by accessing the township website or contacting the township office.

**5.3.2 Made available, by June 1<sup>st</sup> of the same reporting year, to members of the public without charge by publishing the report on the Internet, if the Owner maintains a website on the Internet.**

The report will be made available to members of the public by June 1<sup>st</sup> by looking it up on the township website. <https://www.eastgarafraxa.ca/en/index.aspx>